

ENVIRONMENTAL PRODUCT DECLARATION

In accordance with ISO 14025 and EN 15804+A2 

CEMEX Deutschland AG **natural aggregates from Melaune**



Owner of the declaration

CEMEX Deutschland AG
Döbschütz 43a
02894 Reichenbach
Germany

Product

natural aggregates from Melaune

Declared product / Declared unit

1 t

**This declaration is based on Product
Category Rules**

EN 15804:2012 + A2:2019,
NPCR Part B for natural stone products,
aggregates and fillers (v1.0)

Program operator:

EPD Norway
Majorstuen P.O. Box 5250
N-0303 Oslo
Norway

Declaration number

NEPD-10147-10147-2

Registration number

NEPD-10147-10147-2

Issue date

17.07.2025

Valid to

16.07.2030

EPD Software

Emidat EPD Tool v1.0.0

General Information

Product

natural aggregates from Melaune

Program Operator

EPD Norway
Majorstuen P.O. Box 5250
N-0303 Oslo
Norway
Phone: +47 23 08 80 00
Email: post@epd-norge.no

Declaration Number

NEPD-10147-10147-2

This declaration is based on Product Category Rules

EN 15804:2012 + A2:2019,
NPCR Part B for natural stone products, aggregates and
fillers (v1.0)

Statements

The owner of the declaration shall be liable for the
underlying information and evidence. EPD Norway shall
not be liable with respect to manufacturer, life cycle
assessment data and evidences.

Declared unit

1 t

General information on verification of EPD from EPD tools

Independent verification of data, other environmental
information and the declaration according to ISO
14025:2010, § 8.1.3 and § 8.1.4. Verification of each EPD
is made according to EPDNorway's guidelines for
verification and approval requiring that tools are i)
integrated into the company's environmental
management system, ii) the procedures for use of the
EPD tool are approved by EPD-Norway, and iii) the
process is reviewed annually by an independent third
party verifier. See Appendix G of EPD-Norway's General
Programme Instructions for further information on EPD
tools.

Verification of EPD tool

Charlotte Merlin, FORCE Technology
(no signature required)

Owner of the declaration

CEMEX Deutschland AG

Contact person

kundenservice.de@cemex.com

Phone

+ 49 33638 54-0

Email

kundenservice.de@cemex.com

Manufacturer

CEMEX Deutschland AG
Döbschütz 43a
02894 Reichenbach, Germany

Place of production

Reichenbach, Germany

Management system

-

Issue date

17.07.2025

Valid to

16.07.2030

Year of study

2023

Comparability

EPDs of construction products may not be comparable if
they do not comply with EN 15804 and are not seen in a
building context. EPD data may not be comparable if the
datasets used are not developed in accordance with EN
15804 and if the background systems are not based on
the same database (including primary and secondary
data).

Development and verification of EPD

The declaration was created using the Emidat EPD tool
v1.0, developed by Emidat GmbH. The EPD tool has been
approved by EPD Norway.

Developer of EPD: Thomas Zohm

Reviewer of company-specific input data and EPD:
Karsten Schubert

Approved



Håkon Hauan, CEO EPD-Norge


Product

Product description

This EPD applies to fine and coarse natural aggregates from Melaune.

For example:

0/2;0/32; 0/45; 1/3; 2/5; 2/8; 2/11; 5/8; 5/16; 8/11; 16/22; 16/32



Can be used in various scenarios, including:

- Asphalt
- Concrete
- frost protection and gravel base layer

Product specification

Name of ingredient	Share of total weight	Country of origin
Aggregates	100 %	Germany

Technical data

	Unit	Value
Gross density	kg / m ³	2600.0

Market

Germany

LCA: Calculation rules

Declared unit

1 t of natural aggregates from Melaune

Data quality

The foreground data are based on extensive and detailed data collection at the production site of the manufacturer, covering key processes such as raw material sourcing, formulation, and manufacturing. These foreground data are fully linked with corresponding datasets from the background database (ecoinvent 3.10) or with EN15804+A2-compliant EPDs, ensuring consistency, reliability, and maintaining alignment with the latest industry standards. The overall data representativeness is rated as fair with an overall score of 3.97/5.

System boundaries (X=included, MND=module not declared)

	Production			Installation		Use stage							End-of-Life				Next product system
	Raw material supply	Transport	Manufacturing	Transport	Installation Process	Use	Maintenance	Repair	Replacement	Refurbishment	Operational Energy Use	Operational Water Use	Demolition	Transport	Waste Processing	Disposal	Benefits and loads beyond the system boundary
Module	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Modules declared	x	x	x	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND
Geography			DE	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND

For the geographies modeled in A1 and A2, refer to *Product specification*.

Type of EPD: Cradle to gate

Stage of Material Production and Construction

Module A: Production and transportation of explosives for blasting and fuels for machinery operation. Aggregates extraction, crushing and sizing at the site and waste treatment

Cut-off criteria

No cut-offs were applied.

Allocation

Elementary flows (energy and fuels, ancillary materials and waste) data was collected on production-process-level. Using the total output of the production process in 2023, elementary flows are assigned to 1 declared unit based on mass.

LCA: Results

Core environmental impact indicators

Indicator	Unit	A1-3
GWP-total	kg CO ₂ -eq.	3.14e+00
GWP-fossil	kg CO ₂ -eq.	3.13e+00
GWP-biogenic	kg CO ₂ -eq.	1.92e-03
GWP-luluc	kg CO ₂ -eq.	2.21e-03
ODP	kg CFC-11-Eq	1.23e-07
AP	mol H ⁺ -Eq	1.84e-02
EP-freshwater	kg P-Eq	2.13e-04
EP-marine	kg N-Eq	7.33e-03
EP-terrestrial	mol N-Eq	8.11e-02
POCP	kg NMVOC-Eq	2.49e-02
ADPE	kg Sb-Eq	6.73e-06
ADPF	MJ, net calorific value	4.14e+01
WDP	m ³ world Eq deprived	3.62e-01

GWP-total: Global Warming Potential - total **GWP-fossil:** Global warming potential - fossil **GWP-biogenic:** Global Warming Potential - biogenic **GWP-luluc:** Global Warming Potential - luluc **ODP:** Depletion potential of the stratospheric ozone layer **AP:** Acidification potential, Accumulated Exceedance **EP-freshwater:** Eutrophication potential - freshwater **EP-marine:** Eutrophication potential - marine **EP-terrestrial:** Eutrophication potential - terrestrial **POCP:** Photochemical Ozone Creation Potential **ADPE:** Abiotic depletion potential - non-fossil resources **ADPF:** Abiotic depletion potential - fossil resources **WDP:** Water (user) deprivation potential

Additional indicators

Indicator	Unit	A1-3
PM	disease incidence	4.18e-07
IRP	kBq U235-Eq	5.33e-02
ETP-fw	CTUe	8.79e+00
HTP-c	CTUh	9.46e-09
HTP-nc	CTUh	1.09e-08
SQP	dimensionless	5.80e+00

PM: Potential incidence of disease due to PM emissions **IRP:** Potential Human exposure efficiency relative to U235 **ETP-fw:** Potential Comparative Toxic Unit for ecosystems **HTP-c:** Potential Comparative Toxic Unit for humans - cancer effects **HTP-nc:** Potential Comparative Toxic Unit for humans - non-cancer effects **SQP:** Potential Soil quality index

IRP: This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.

ETP-fw, HTP-c, HTP-nc and SQP: The results of these environmental impact indicators shall be used with care as the uncertainties on these results are high or as there is limited experienced with these indicators.

Use of resources

Indicator	Unit	A1-3
PERE	MJ	1.47e+00
PERM	MJ	0
PERT	MJ	1.47e+00
PENRE	MJ	4.14e+01
PENRM	MJ	0
PENRT	MJ	4.14e+01
SM	kg	0
RSF	MJ	0
NRSF	MJ	0
FW	m ³	1.05e-02

PERE: Primary energy resources - renewable: use as energy carrier **PERM:** Primary energy resources - renewable: used as raw materials **PERT:** Primary energy resources - renewable: total **PENRE:** Primary energy resources - non-renewable: use as energy carrier **PENRM:** Primary energy resources - non-renewable: used as raw materials **PENRT:** Primary energy resources - non-renewable: total **SM:** Use of secondary material **RSF:** Renewable secondary fuels **NRSF:** Non-renewable secondary fuels **FW:** Net use of fresh water

Waste flows

Indicator	Unit	A1-3
HWD	kg	6.84e-02
NHWD	kg	1.18e+00
RWD	kg	1.40e-05

HWD: Hazardous waste disposed **NHWD:** Non hazardous waste disposed **RWD:** Radioactive waste disposed

Output flows

Indicator	Unit	A1-3
CRU	kg	0
MFR	kg	0
MER	kg	0
EEE	MJ	1.95e-02
EET	MJ	2.63e-01

CRU: Components for re-use **MFR:** Materials for recycling **MER:** Materials for energy recovery **EEE:** Exported electrical energy **EET:** Exported thermal energy

Name	Value	Unit
Biogenic carbon content in product	0	kg C
Biogenic carbon content in accompanying packaging	0	kg C

Additional requirements

Greenhouse gas emissions from the use of electricity in the manufacturing phase

Electricity consumption in the manufacturing phase is composed from the sources below certified by Guarantee of Origin. Electricity is represented by data in ecoinvent 3.10 regionalised for Germany.

Electricity	Unit	Value
Nuclear	kg CO ₂ -eq. / kWh	6.56e-03
Solar	kg CO ₂ -eq. / kWh	0.10
Wind	kg CO ₂ -eq. / kWh	0.03
Hydro	kg CO ₂ -eq. / kWh	0.72
Bioenergy	kg CO ₂ -eq. / kWh	0.05
Gas	kg CO ₂ -eq. / kWh	0.76
Oil	kg CO ₂ -eq. / kWh	0.95
Coal and peat	kg CO ₂ -eq. / kWh	1.05

Dangerous substances

The product contains no hazardous substances given by the REACH Candidate List or the Norwegian Priority List.

Additional environmental information

Additional environmental impact indicators required in NPCR Part A for construction products

Indicator	Unit	A1-3
GWP-IOBC	kg CO ₂ -eq.	3.14e+00

GWP-IOBC: Global Warming Potential - Instantaneous oxidation of biogenic carbon

Bibliography

DIN EN ISO 14025:2011-10	Environmental labels and declarations - Type III environmental declarations - Principles and procedures
DIN EN ISO 14040:2021-02	Environmental management - Life cycle assessment - Principles and framework
DIN EN ISO 14044:2021-02	Environmental management - Life cycle assessment - Requirements and guidelines
EN 15804:2012+A2:2019	Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products
DIN CENTR 15941:2010-11	Sustainability of construction works - Environmental product declarations - Methodology for selection and use of generic data
DIN EN 15942:2022-04	Sustainability of construction works - Environmental product declarations - Communication format business-to-business
ISO 21930:2017-07	Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products and services
ecoinvent v3.10	ecoinvent, Zurich, Switzerland, database version 3.10
PCR	NPCR Part B for natural stone products, aggregates and fillers (v1.0) Basic principles and recommendations for describing the dismantling, post use, and disposal stage of construction products: https://www.umweltbundesamt.de/sites/default/files/medien/1410/publikationen/2020-07-06_texte_130-2020_guidance-document-construction-industry.pdf ILCD Handbook: https://eplca.jrc.ec.europa.eu/uploads/ILCD-Handbook-LCIA-Background-analysis-online-12March2010.pdf

 Global Program Operator	Program Operator	Phone	+47 23 08 80 00
	EPD Norway Majorstuen P.O. Box 5250, N-0303 Oslo Norway	Email	post@epd-norge.no
		Web	www.epd-norge.no
 Global Program Operator	Publisher	Phone	+47 23 08 80 00
	The Norwegian EPD Foundation Post Box 5250 Majorstuen, 0303 Oslo Norway	Email	post@epd-norge.no
		Web	www.epd-norge.no
	Owner of the declaration	Phone	+ 49 33638 54-0
	CEMEX Deutschland AG Döbschütz 43a, 02894 Reichenbach Germany	Email	kundenservice.de@cemex.com
		Web	https://www.cemex.de/
	Author of the life cycle assesment	Phone	+ 49 33638 54-0
	CEMEX Deutschland AG Döbschütz 43a, 02894 Reichenbach Germany	Email	kundenservice.de@cemex.com
		Web	https://www.cemex.de/
	ECO Platform ECO Portal	Web	www.eco-platform.org
		Web	ECO Portal
	Developer of EPD generator	Phone	+49 176 56 96 77 91
	Emidat GmbH Sandstraße 33, 80335 München Germany	Email	epd@emidat.com
		Web	www.emidat.com